## **Table J2. - Chemical Properties of the Soils**

Northampton County, Virginia

Absence of an entry indicates that data were not estimated.

Map Symbol and Soil Name	Depth	Cation Exchange Capacity	Effective Cation Exchange Capacity	Soil Reaction	Calcium Carbon- ate	Gypsum	Salinity	Sodium Adsorp- tion Ratio
	ln	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
AsE:								
Assateague	0-4	0.0-3.6	0.0-2.7	4.5 - 7.3				
	4-85	0.0-2.4	0.0-1.8	5.6 - 7.8				
Bojac								
Munden								
Nimmo								
AtD:								
Assateague	0-4	0.0-3.6	0.0-2.7	4.5 - 7.3				
Ç	4-85	0.0-2.4	0.0-1.8	5.6 - 7.8				
Fisherman								
Camocca								
Chincoteague								
BeB:								
Beaches	0-6	0.0-0.5	0.0-0.4	5.1 - 7.8			4.0-16.0	
	6-60	0.0-0.5	0.0-0.4	5.1 - 7.8			4.0-16.0	
Assateague								
Fisherman								
Camocca								
BhB:								
Bojac	0-6	1.9-4.2	1.4-3.2	3.6 - 6.5				
	6-38	2.8-5.1	2.1-3.8	3.6 - 6.5				
	38-60	0.2-3.1	0.2-2.3	4.5 - 6.0				
Dragston								
Seabrook								
Nimmo								
BkA:								
Bojac	0-9	1.9-6.5	1.4-4.9	3.6 - 6.5				
•	9-32	2.8-5.1	2.1-3.8	3.6 - 6.5				
	32-60	0.2-3.1	0.2-2.3	4.5 - 6.0				

Northampton County, Virginia

Map Symbol and Soil Name	Depth	Cation Exchange Capacity	Effective Cation Exchange Capacity	Soil Reaction	Calcium Carbon- ate	Gypsum	Salinity	Sodium Adsorp- tion Ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
BkA:								
Dragston								
Seabrook								
Nimmo								
ВоА:								
Bojac	0-9	1.9-6.5	1.4-4.9	3.6 - 6.5				
- y - · <del>-</del>	9-32	2.8-5.1	2.1-3.8	3.6 - 6.5				
	32-60	0.2-3.1	0.2-2.3	4.5 - 6.0				
Dragston								
Polawana								
Nimmo								
CaA:								
Camocca	0-85	1.1-3.2	0.8-2.4	3.6 - 8.4				
Assateague								
Fisherman								
Beaches								
Chincoteague								
ChA:								
Chincoteague	0-6	7.0-31	5.2-23	5.6 - 7.3			16.0	
· ·	6-40	6.1-11	4.6-8.2	5.6 - 7.3			16.0	
	40-60	0.0-9.9	0.0-7.4	5.6 - 7.3			16.0	
Magotha								
Tidal flat								
Camocca								
Nimmo								
DrA:								
Dragston	0-6	3.2-7.5	2.4-5.6	4.5 - 5.5				
•	6-45	0.0-5.6	1.9-4.2	4.5 - 5.5				
	45-60	0.5-4.1	0.4-3.1	4.5 - 6.5				

Northampton County, Virginia

Map Symbol and Soil Name	Depth	Cation Exchange Capacity	Effective Cation Exchange Capacity	Soil Reaction	Calcium Carbon- ate	Gypsum	Salinity	Sodium Adsorp- tion Ratio
)-A.	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
0rA: Bojac								
,								
Polawana								
Seabrook								
hB:								
Fisherman	0-6	0.0-4.8	0.0-3.6	4.5 - 7.8				
	6-85	0.0-2.4	0.0-1.8	4.5 - 7.8				
Assateague								
Beaches								
Camocca								
Chincoteague								
·mD:								
Fisherman	0-6	0.0-4.8	0.0-3.6	4.5 - 7.8				
	6-85	0.0-2.4	0.0-1.8	4.5 - 7.8				
Assateague	0-4	0.0-3.6	0.0-2.7	4.5 - 7.3				
	4-85	0.0-2.4	0.0-1.8	5.6 - 7.8				
Beaches								
Camocca								
Chincoateague								
FrB:								
Fisherman	0-6	0.0-4.8	0.0-3.6	4.5 - 7.8				
	6-85	0.0-2.4	0.0-1.8	4.5 - 7.8				
Camocca	0-85	1.1-3.2	0.8-2.4	3.6 - 8.4				
Assateague								
Beaches								
Chincoteague								

MaA:

Northampton County, Virginia

Map Symbol and Soil Name	Depth	Cation Exchange Capacity	Effective Cation Exchange Capacity	Soil Reaction	Calcium Carbon- ate	Gypsum	Salinity	Sodium Adsorp- tion Ratio
	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
MaA:								
Magotha	0-5	7.0-25	5.2-18	4.5 - 7.3			16.0	
	5-40 40-63	3.6-11 1.1-8.2	2.7-8.2 0.8-6.2	4.5 - 7.3 4.5 - 7.3			16.0 16.0	
	40-03	1.1-0.2	0.6-0.2	4.5 - 7.5			10.0	
Chincoteague								
Nimmo								
Munden								
ЛоD:								
Molena	0-5	1.6-6.2	1.2-4.7	4.5 - 6.5				
	5-46	1.2-3.6	0.9-2.7	4.5 - 6.0				
	46-72	0.0-2.4	0.0-1.8	4.5 - 6.0				
Munden								
Polawana								
ЛuA:								
Munden	0-8	3.2-8.5	2.4-6.4	4.5 - 6.0				
	8-42	3.1-6.8	2.3-5.1	4.5 - 6.0				
	42-60	0.5-4.1	0.4-3.1	4.5 - 6.0				
Molena								
Nimmo								
NIIIIIIO								
Polawana								
NmA:								
Nimmo	0-7	3.2-10	2.4-7.7	3.6 - 5.5				
	7-43	3.1-6.8	2.3-5.1	3.6 - 5.5				
	43-65	0.2-3.1	0.2-2.3	3.6 - 5.5				
Bojac								
Munden								
Seabrook								
CCADIOON								
PoA:								
Polawana	0-35	7.2-26	5.4-19	4.5 - 7.3				
	35-60	2.8-9.8	2.1-7.3	4.5 - 7.3				

Northampton County, Virginia

Map Symbol and Soil Name	Depth	Cation Exchange Capacity	Effective Cation Exchange Capacity	Soil Reaction	Calcium Carbon- ate	Gypsum	Salinity	Sodium Adsorp- tion Ratio
PoA:	In	meq/100 g	meq/100 g	рН	Pct	Pct	mmhos/cm	
Bojac								
Chincoteague								
SeA:	0.0	4075	4050	45.05				
Seabrook	0-9 9-85	1.6-7.5 0.5-4.1	1.2-5.6 0.4-3.1	4.5 - 6.5 4.5 - 6.5				
Bojac								
Nimmo								
UPD:								
Udorthents								
Udipsamments	0-6 6-60	1.4-9.2 0.2-3.6	1.0-6.9 0.2-2.7	3.6 - 6.0 4.5 - 6.5				
Bojac								
Chicoteague								
Magotha								
Nimmo								
Polawana								
W: Water								